PRODUCTION OF CASSAVA INTO PLASTIC BAGS WITH A COLLABORATIVE GOVERNANCE PERSPECTIVE TO SUPPORT SUSTAINABLE DEVELOPMENT GOALS (SDGS): TECHNOLOGY AND COST ANALYSIS

CECEP WAHYUDIN¹, NENG VIRLY APRILIYANI^{1,*}, DESI HASBIYAH¹, GINUNG PRATIDINA¹, RITA RAHMAWATI¹, IRMA PURNAMASARI¹, DEDE SYAHRUDIN¹, MOHAMMAD BINTANG PAMUNCAK²

¹Universitas Djuanda, Jl Tol Ciawi No. 1, Bogor Indonesia ²Universitas Kebangsaan Malaysia, Bangi, Selangor, Malaysia. 43600 *Corresponding Author: neng.virly@unida.ac.id

Abstract

This research aims to analyse the techno-economy of cassava into plastic bags from a collaborative governance perspective. The research method was carried out by analysing cassava into plastic bags, which was seen from production for 20 years by carrying out analysis from various perspectives. The research results show that cassava production into biodegradable plastic bags has economic feasibility if production is carried out for 20 years. This is proven by the technical analysis of converting 1000 kg of cassava to produce 200,000 plastic bags/day with a total production cost per piece of USD 0.018 at the selling price of USD 0.02. However, when production is started, there were significant losses due to equipment and raw materials, reaching a negative value of -2000. Still, in the third year, there was a relatively stable increase until it reached an increase in cumulative net profit each year. Thus, the analytical calculations show significant profit potential with the achieved break-even point (BEP). However, fluctuating raw material prices and operational costs can affect profitability, so there is a need for collaborative governance involvement from the government sector in the policy of using environmentally friendly bags and providing assistance in financing the community as cassava-producing farmers and the private sector as production. Therefore, this research will impact the government's goal of achieving environmental beauty by creating environmentally friendly bags and creating profit opportunities for the community and entrepreneurs/private parties. This study also supports current issues in sustainable development goals (SDGs).

Keywords: Cassava, Collaborative governance, Plastic bag, Techno economy.

1.Introduction

Plastic bag pollution is the biggest and most significant environmental problem globally because plastic bags are everyone's tertiary need. Therefore, plastic bag reduction policies are implemented in various countries, especially in Indonesia, to deal with plastic waste that cannot be destroyed quickly. Much research regarding plastic has been well-developed [1-8].

There is a need to find alternatives to plastic. Much research regarding alternatives have been reported [9]. One of them is the use of cassava [10]. The production of cassava as a primary material for making plastic is a solution for making environmentally friendly bags. Thus, the production of biodegradable plastic becomes an opportunity for sustainable production.

Sustainability in producing biodegradable plastic requires support from various parties. Thus, it needs collaborative governance. Collaborative governance in managing cassava into environmentally friendly plastic bags requires government, community, and private sector/entrepreneur involvement. The government has the authority to make regulations, policies, and financing. The community is a provider of cassava raw materials that can support production. Private/entrepreneurs produce cassava in plastic bags. Thus, the general public can use it. It can encourage the reuse of biodegradable plastic through recycling to avoid the greenhouse effect.

Based on our previous study [11, 12], this research aims to analyse the technoeconomics of cassava into biodegradable plastic from a collaborative governance perspective and to describe the production flow of biodegradable plastic. With techno-economic analysis, the total manufacturing costs can be determined starting from raw material costs, equipment costs, utilities, employee salaries, production costs, potential income, and profitability. Meanwhile, with collaborative governance analysis, sustainability can be identified in production, governance, and marketing. The novelty in this research can be seen from an integrative approach between environmentally friendly production technology and collaborative governance. Combining in-depth techno-economic analysis with collaborative governance can significantly contribute to providing solutions to global society to overcome environmental and economic challenges. Apart from that, this research is also expected to become a basis for developing policies to create beauty in the environment and can strengthen collaboration between various stakeholders to realize sustainable development goals and achieve SDGs in protecting land and sea ecosystems [13-23]. The novelty in this research is integrating a collaborative approach in techno-economic analysis to produce cassava-based plastic bags, creating innovative solutions that support current issues in sustainable development goals (SDGs), as reported elsewhere [24-26].

2. Methods

The method used is to analyse the needs of cassava production in plastic bags, starting with an analysis of raw material needs and equipment needs. Raw material prices and equipment prices are analysed commercially through products available through online shopping websites at current prices. Then, all data is calculated using simple mathematical calculation techniques assisted by analysis in Excel. Next, an economic evaluation is carried out to determine the parameters used, namely raw material calculations, equipment calculations, utility calculations,

employee salary processing, production details, and Total Manufacturing Cost. Next, descriptive analysis was carried out on curves, and collaborative governance analysis was conducted to determine the feasibility and sustainability of cassava production into environmentally friendly plastic bags that the global community can consume [27-29]. This research used a literature review study (see Fig. 1) and calculation for getting a feasibility study.




Fig. 1. Flowchart produksi plastik biodegradable.

3. Results and Discussion

The results of the calculation show the number of raw materials needed to produce biodegradable plastic bags on a scale of 1000 kg of cassava for USD 0.99 kg, so it can be seen the total cost per year is USD 690,000. Thus, cassava is the primary basic material used to make biodegradable plastic and has the most significant funding. At the same time, chitosan is needed in lower quantities but has the highest price, and plasticizers have the lowest total costs compared to other raw material needs (see Table 1).

Biodegradable plastic production requires equipment calculations with a total cost of USD 4.160. Based on the results of the analysis, the plastic industrial mixer is the most expensive piece of equipment, accounting for 75% of the total equipment cost. Thus, machine quality can influence increasing production efficiency and quality of biodegradable plastic.

Requireme Requirements nts per Raw per large scale Pric small scale Unit Total material production (scale e/kg production up 1000x) (kg/hour) 1 A Cassava 1 1.000 1000 Kg **B** Plasticizers 100 Kg 1 4 400 C Chitosan 10 1 90 900 Kg Price/day 2,300 Price/year 690,000

Table 1. Calculation of raw materials.

Biodegradable plastic production requires utility calculations. The total daily utility costs for all equipment are USD 27.8, using electrical power from various production equipment. In other words, the total annual cost is USD 6.672. This shows significant investment in all production equipment to ensure effective operations in manufacturing biodegradable plastic. Biodegradable plastic production requires employees in the manufacturing process. Hence, the number of employees required is six, with a total monthly salary of USD 1,576 or an annual salary of USD 18.909. The employees needed include a supervisor, assistant supervisor, finance, and three staff members. Thus, labour is part of operational financing. The analysis results on production details show that the production capacity for biodegradable plastic bags per day reaches 200,000 and can reach monthly production of up to 4,000,000 plastic bags assuming 20 working days and reaches production of 48,000,000 biodegradable plastic bags per year. Meanwhile, the total production cost of plastic bags is USD 0.018, with a selling price of USD 0.02, so the total annual income reaches USD 960,000. In other words, even though the production costs per plastic bag are quite high, a profit margin can still be achieved if you consider the difference between production costs and selling prices. Meanwhile, large production capacity also allows for economies of scale to optimize efficiency and profits.

The results of the Fixed cost analysis reached USD 74.952,93, which includes capital costs and depreciation. The Variable Costs reached USD 798.608, consisting of raw materials, utilities, operational labour worth, labour-related costs worth, and costs related to sales worth. With annual sales reaching USD 960,000.00, manufacturing costs worth USD 867.682,40, and investment worth USD 63.009,74, it can be said that the biodegradable plastic bag production project produces a profit of 0.10 with a profit margin. 1.47. In other words, the BEP that can be achieved in producing biodegradable plastic bags from cassava reaches 48,000,000 units, with fixed costs reaching USD 74.952,93 and variable costs reaching USD 798.608. Meanwhile, the resulting Return on Investment (ROI) is 1.57, with a payback period of around 0.60 years. Analysis of the assumptions for biodegradable plastic production from cassava raw materials shows that there is good profit potential with a fast return on investment, even though if you look at the profit margin per unit, it is relatively small.

The curve analysis results show changes in the cumulative net present value (CNPV) to total investment cost (TIC) during the 20-year production period. At the start of production, CNPV/TIC experienced a sharp decline to a negative value of around -2000, reflecting significant initial losses due to large investment costs.

However, during the 3rd year of production, the curve begins to rise steadily and increases, so it can be said that biodegradable plastic production experiences an increase in cumulative net profit. Then, in the 5th year of production, the curve reaches the breakeven point and continues to rise steadily until the end of the 20th year. In other words, if we look at the 20th year, it is known that the CNPV/TIC value reached more than 10,000; this shows that the production of biodegradable plastic bags from cassava raw materials produces substantial profits in the long term. Thus, the results of this analysis indicate initial losses when the production process starts. Still, this production has the potential to provide a very positive return on investment in the long term, accompanied by stability and increasing profits from year to year. The results of the curve analysis are shown in Fig. 2.




Fig. 2. Cumulative net present value (X) and investment period (Y).

The results of collaborative governance analysis to determine sustainability in the production of cassava into environmentally friendly plastic bags, especially in Indonesia, can become a strategy and support government policy in creating an environmentally friendly environment, which is in line with presidential regulation number 97 of 2017 and the Minister of Environment and Forestry regulation number P.10 /MENLHK/SETJEN/ PLB.0/4/2018. Thus, the results of the technoeconomic analysis of cassava production into plastic bags have economic feasibility that can support government policies to create an environmentally friendly environment. Therefore, in realizing the sustainability of cassava production to be environmentally friendly, there needs to be collaborative support from the government, the private sector, and the community in aspects of management, production, and marketing. Thus, it realizes sustainable goals that can have a positive impact on the success of government programs to create an environmentally friendly and impactful environment. in an economy that supports increasing social welfare [30].

4. Conclusion

This research concludes that producing biodegradable plastic bags from cassava has economic feasibility if carried out for 20 years. Analysis of various cost components, including raw materials, equipment, utilities, employee salaries, and total production costs, shows that with the conversion of 1000 kg of cassava,

200,000 plastic bags can be produced per day with a production cost per bag of IDR 271.15 and a selling price of IDR 300. Capacity Annual production reaches 48,000,000 bags with an annual income of IDR 14,400,000,000. Despite initial losses due to investment in equipment and raw materials, cumulative net profit began to increase steadily in the third year. Biodegradable plastic production shows significant profit potential, with a break-even point achieved and a return on investment of 1.57 in less than one year. However, fluctuations in raw material prices and operational costs can affect profitability, so collaboration is needed between the government, society, and the private sector to support policies for using environmentally friendly bags and provide financial assistance. This research positively impacts the government's goal of a more beautiful environment and creates profit opportunities for communities and entrepreneurs. Suggestions for further research include research that discusses the sustainability analysis of the cassava production program into environmentally friendly plastic bags and analysis of collaborative support from the government, private sector, and the community.

References

- 1. Nandiyanto, A.B.D.; Ragadhita, R.; and Fiandini, M. (2023). Interpretation of fourier transform infrared spectra (FTIR): A practical approach in the polymer/plastic thermal decomposition. *Indonesian Journal of Science and Technology*, 8(1), 113-126.
- Nandiyanto, A.B.D.; Sucianto, R.N.; Matildha, S.R.; Nur, F.Z.; Kaniawati, I.; Kurniawan, T.; and Sidik, N.A.C. (2024). What phenomena happen during pyrolysis of plastic? FTIR and GC-MS analysis of pyrolyzed low linear density polyethylene (LLDPE) polymer particles completed with bibliometric research trend and pyrolysis chemical reaction mechanism. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, 46(1), 250-260.
- Nandiyanto, A.B.D.; Putri, A.R.; Pratiwi, V.A.; Ilhami, V.I. N.; Kaniawati, I.; Kurniawan, T.; Farobie, O.; And Bilad, M.R. (2024). Fourier transform infrared spectroscopy (FTIR) of pyrolysis of polypropylene microparticles and its chemical reaction mechanism completed with computational bibliometric literature review to support sustainable development goals (SDGs). Journal of Engineering Science and Technology, 19(3), 1090-1104.
- Nandiyanto, A.B.D.; Kaniawati, I.; Kurniawan, T.; Farobie, O.; and Bilad, M. R. (2024). Chemical reaction mechanism from pyrolysis degradation of polystyrene styrofoam plastic microparticles based on FTIR and GC-MS completed with bibliometric literature review to support sustainable development goals (SDGs). Moroccan Journal of Chemistry, 12(3), 1380-1398.
- Pangestika, S.H.; Saptaji, K.; Redi, A.A. N.P.; Nandiyanto, A.B.D.; Liman, S.D.; and Triawan, F. (2023). Utilization of plastic waste to improve properties of road material: A review. *Mechanical Engineering for Society* and Industry, 3(3), 119-135.
- 6. Pebrianti, M.; and Salamah, F. (2021). Learning simple pyrolysis tools for turning plastic waste into fuel. *Indonesian Journal of Multidiciplinary Research*, 1(1), 99-102.

- Nandiyanto, A.B.D.; Fiandini, M.; Hofifah, S.N.; Ragadhita, R.; Al Husaeni, D.F.; Al Husaeni, D.N.; and Masek, A. (2022). Collaborative practicum with experimental demonstration for teaching the concept of production of bioplastic to vocational students to support the sustainability development goals. *Journal of Technical Education and Training*, 14(2), 1-13.
- 8. Anggraeni, S.; Nandiyanto, A.B.D.; Nurjami, A.M.; Hofifah, S.N.; Putri, S.R.; Girsang, G.C.; and Fiandini, M. (2021). Palm oil and cinnamon (antimicrobial agent) on the physicochemical, mechanical, and biodegradation properties of micrometer-sized cornstarch-based bioplastic. *Moroccan Journal of Chemistry*, 9(3).
- 9. Nandiyanto, A.B.D.; Triawan, F.; Fiandini, M.; Suryani, I.O.; and Sunnardianto, G.K. (2021). Influence of the size of turmeric microparticles reinforcing agent on mechanical and biodegradation properties of cornstarch-based bioplastic material: Current studies, experimental results, and proposal material crack phenomena during mechanical testing. *Materials Physics & Mechanics*, 47(2).
- Ragadhita, R.; Fiandini, M.; Nofiani, R.; Farobie, O.; Nandiyanto, A.B.D.; Hufad, A.; and Istadi, I. (2023). Biomass composition (cassava starch and banana (musa sp.) peels) on mechanical and biodegradability properties of bioplastics for supporting sustainable development goals (SDGs). *Journal of Engineering Science and Technology*, 18, 228-238.
- 11. Roestamy, M.; Martin, A.Y.; Rusli, R.K.; and Fulazzaky, M.A. (2022). A review of the reliability of land bank institution in Indonesia for effective land management of public interest. *Land Use Policy*, 120, 106275.
- 12. Roestamy, M. (2020). Model land supply for land bank to house application. *Jurnal Bestuur*, 8(1). 27-39.
- 13. Ani, D.; Ojila, H.; and Abu, O. (2019). Profitability of cassava processing: A case study of otukpo lga, benue state, Nigeria. *Sustainable Food Production*, 6(12), 12-23.
- 14. Olajoke, A. (2019). Environmental impact of cassava processing on residents of surulere local government area, Oyo State, Nigeria. *Civil and Environmental Research*, 11(8), 37-45.
- 15. Olufemi, A.M.; Abosede, A.O.; and Adebunmi, O.A. (2019). Income elasticity from small scale cassava processing activities in surulere local government area, ogbomoso, Oyo State, Nigeria. *The International Journal of Humanities and Social Studies*, 7(2), 240-250.
- 16. Padi, R.K.; and Chimphango, A. (2020). Feasibility of commercial waste biorefineries for cassava starch industries: Techno-economic assessment. *Bioresource Technology*, 297, 122461.
- 17. Putriani, E.; and Mujahidin, A. (2023). Cassava donuts: community economic empowerment through making and marketing. *Jurnal Inovasi Dan Pengembangan Hasil Pengabdian Masyarakat*, 1(1), 01-07.
- Subejo; Hardyastuti, S.; and Maulida, Y.F. (2021). The urgency of institutional development of cassava industry in the special region of Yogyakarta dan central Java. *Jurnal Sosiologi Pedesaan*, 9(2), e33369.
- 19. Godjo, T.; Idani, A.; Akpassonou, R.; and Ahonoukoun, N. (2022). Feasibility study for energy recovery of peels resulting from cassava processing into gari:

- Case of the mawudagba cooperative in Benin. *International Journal of Advanced Research*, 10(10), 907-922.
- 20. Nandiyanto, A.B.D. (2018). Cost analysis and economic evaluation for the fabrication of activated carbon and silica particles from rice straw waste. *Journal of Engineering Science and Technology*, 13(6), 1523-1539.
- 21. Nandiyanto, A.B.D.; Ragadhita, R.; Al Husaeni, D.N.; and Nugraha, W.C. (2023). Research trend on the use of mercury in gold mining: Literature review and bibliometric analysis. *Moroccan Journal of Chemistry*, 11(1), 1-19.
- 22. Nurramadhani, A.; Riandi, R.; Permanasari, A.; and Suwarma, I.R. (2024). Low-carbon food consumption for solving climate change mitigation: Literature review with bibliometric and simple calculation application for cultivating sustainability consciousness in facing sustainable development goals (SDGs). *Indonesian Journal of Science and Technology*, 9(2), 261-286.
- 23. Makinde, S.O.; Ajani, Y.A.; and Abdulrahman, M.R. (2024). Smart learning as transformative impact of technology: A paradigm for accomplishing sustainable development goals (SDGs) in education. *Indonesian Journal of Educational Research and Technology*, 4(3), 213-224.
- 24. Gemil, K.W.; Na'ila, D.S.; Ardila, N.Z.; and Sarahah, Z.U. (2024). The relationship of vocational education skills in agribusiness processing agricultural products in achieving sustainable development goals (SDGs). *ASEAN Journal of Science and Engineering Education*, 4(2), 181-192.
- 25. Haq, M.R.I.; Nurhaliza, D.V.; Rahmat, L.N.; and Ruchiat, R.N.A. (2024). The influence of environmentally friendly packaging on consumer interest in implementing zero waste in the food industry to meet sustainable development goals (SDGs) needs. *ASEAN Journal of Economic and Economic Education*, 3(2), 111-116.
- Basnur, J.; Putra, M.F.F.; Jayusman, S.V.A.; and Zulhilmi, Z. (2024). Sustainable packaging: Bioplastics as a low-carbon future step for the sustainable development goals (SDGs). ASEAN Journal for Science and Engineering in Materials, 3(1), 51-58.
- 27. Suherman, I.; Fauziah, R.S.P.; Maryani, N.; and Lathifah, Z.K. (2023). A bibliometric analysis of technological-based educational supervision research using vosviewer. *Journal of Engineering Science and Technology*, 18(3), 49-56.
- 28. Wahyudin, C.; Apriliani, A.; Ramdani, F.T.; Pratidina, G.; and Seran, G.G. (2023). A bibliometric analysis collaborative governance of plastic reduction through the transformation industry. *Journal of Engineering Science and Technology*, 18(4), 85-93.
- 29. Akubo, D.; Usman, F.R.; Abubakar, U.; Egbunu, M.; and Iyaji, J. (2023). Economics of small-scale cassava processing in adavi local government area of kogi state. *FUDMA Journal of Agriculture and Agricultural Technology*, 9(1), 172-178.
- 30. Wahyudin, C.; Subagdja, O.; and Iskandar, A. (2023). Desain model collaborative governance dalam penanganan pengurangan penggunaan plastik. *Jurnal Governansi*, 9(2), 151-162.